


Linked Page



Certified Register



Wholesale Supplier
Tweezers Instrument
A to Z Hospital Equipment and
Surgical Products B to C



 **8275140877**

 **9822688071**

 **info@amramedtech.com**




**Sr No.29/1/2, Adarsh Nagar,
Uruli Devachi, Hadapsar, Pune**
Branches :- All Maharashtra




amramedtech.com

O TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-S-O-B	Stainless Steel	Fine Tip	Brushed	No		0.5	0.5	1.5	120mm/4*3/4"
TW-S-O-M	Stainless Steel	Fine Tip	Mirror	No		0.5	0.5	1.5	120mm/4*3/4"
TW-304-O-S	AISI 304	Fine Tip	Satin	No		0.5	0.5	1.5	120mm/4*3/4"
TW-304-O-B	AISI 304	Fine Tip	Brushed	No		0.5	0.5	1.5	120mm/4*3/4"
TW-316-O-S	AISI 316	Fine Tip	Satin	No		0.5	0.5	1.5	120mm/4*3/4"
TW-316-O-B	AISI 316	Fine Tip	Brushed	No		0.5	0.5	1.5	120mm/4*3/4"
TW-T-O-S	Titanium	Fine Tip	Satin	No		0.5	0.5	1.5	120mm/4*3/4"
TW-T-O-P	Titanium	Fine Tip	PVD Blue	No		0.5	0.5	1.5	120mm/4*3/4"

OO TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-OO-S	Antimagnetic,Anti acid	Thick,Hard	Smooth	No		0.50	0.50	2.00	120mm/4*3/4"

OOO TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-OOO-S	Antimagnetic,Anti acid	Thick,Round Edge	Smooth	No		0.60	0.60	2.50	120mm/4*3/4"

OOB TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-S-OOB-B	Stainless Steel	Fine Tip	Brushed	Yes		0.5	0.5	2.0	110mm/4*3/8"
TW-S-OOB-M	Stainless Steel	Fine Tip	Mirror	Yes		0.5	0.5	2.0	110mm/4*3/8"
TW-304-OOB-S	AISI 304	Fine Tip	Satin	Yes		0.5	0.5	2.0	110mm/4*3/8"
TW-304-OOB-B	AISI 304	Fine Tip	Brushed	Yes		0.5	0.5	2.0	110mm/4*3/8"
TW-316-OOB-S	AISI 316	Fine Tip	Satin	Yes		0.5	0.5	2.0	110mm/4*3/8"
TW-316-OOB-B	AISI 316	Fine Tip	Brushed	Yes		0.5	0.5	2.0	110mm/4*3/8"
TW-T-OOB-S	Titanium	Fine Tip	Satin	Yes		0.5	0.5	2.0	110mm/4*3/8"
TW-T-OOB-A	Titanium	Fine Tip	PVD Blue	Yes		0.5	0.5	2.0	110mm/4*3/8"

OOC TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-S-OOC-B	Stainless Steel	Fine Tip	Brushed	No		0.3	0.5	2.0	120mm/4*3/4"
S-OOC-M	Stainless Steel	Fine Tip	Mirror	No		0.3	0.5	2.0	120mm/4*3/4"
TW-304-OOC-S	AISI 304	Fine Tip	Satin	No		0.3	0.5	2.0	120mm/4*3/4"
TW-304-OOC-B	AISI 304	Fine Tip	Brushed	No		0.3	0.5	2.0	120mm/4*3/4"
TW-316-OOC-S	AISI 316	Fine Tip	Satin	No		0.3	0.5	2.0	120mm/4*3/4"
TW-316-OOC-B	AISI 316	Fine Tip	Brushed	No		0.3	0.5	2.0	120mm/4*3/4"
TW-T-OOC-S	Titanium	Fine Tip	Satin	No		0.3	0.5	2.0	120mm/4*3/4"
TW-T-OOC-A	Titanium	Fine Tip	PVD Blue	No		0.3	0.5	2.0	120mm/4*3/4"

OOD TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-S-OOD-B	Stainless Steel	Serrated	Brushed	Yes		0.3	0.5	2.00	120mm/4*3/4"
TW-S-OOD-M	Stainless Steel	Serrated	Mirror	Yes		0.3	0.5	2.00	120mm/4*3/4"
TW-304-OOD-S	AISI 304	Serrated	Satin	Yes		0.3	0.5	2.00	120mm/4*3/4"
TW-304-OOD-B	AISI 304	Serrated	Brushed	Yes		0.3	0.5	2.00	120mm/4*3/4"
TW-316-OOD-S	AISI 316	Serrated	Satin	Yes		0.3	0.5	2.00	120mm/4*3/4"
TW-316-OOD-B	AISI 316	Serrated	Brushed	Yes		0.3	0.5	2.00	120mm/4*3/4"
TW-T-OOD-S	Titanium	Serrated	Satin	Yes		0.3	0.5	2.00	120mm/4*3/4"
TW-T-OOD-P	Titanium	Serrated	PVD Blue	Yes		0.3	0.5	2.00	120mm/4*3/4"

OA TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-OA-S	Antimagnetic,Anti Acid		Smooth	No		0.30	0.30	1.50	110mm/4*3/8"

Oc9 TYPE TWEEZERS



Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-S-OC9-B	Stainless Steel	Fine Tip	Brushed	No		0.3	0.3	1.5	90mm/3.54"
TW-S-OC9-M	Stainless Steel	Fine Tip	Mirror	No		0.3	0.3	1.5	90mm/3.54"
TW-304-OC9-S	AISI 304	Fine Tip	Satin	No		0.3	0.3	1.5	90mm/3.54"
TW-304-OC9-B	AISI 304	Fine Tip	Brushed	No		0.3	0.3	1.5	90mm/3.54"
TW-316-OC9-S	AISI 316	Fine Tip	Satin	No		0.3	0.3	1.5	90mm/3.54"
TW-316-OC9-B	AISI 316	Fine Tip	Brushed	No		0.3	0.3	1.5	90mm/3.54"
TW-T-OC9-S	Titanium	Fine Tip	Satin	No		0.3	0.3	1.5	90mm/3.54"
TW-T-OC9-A	Titanium	Fine Tip	PVD Blue	No		0.3	0.3	1.5	90mm/3.54"

Oc10 TYPE TWEEZERS



Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-S-OC10-B	Stainless Steel	Fine Tip	Brushed	No		0.3	0.4	1.5	100mm/3.93"
TW-S-OC10-M	Stainless Steel	Fine Tip	Mirror	No		0.3	0.4	1.5	100mm/3.93"
TW-304-OC10-S	AISI 304	Fine Tip	Satin	No		0.3	0.4	1.5	100mm/3.93"
TW-304-OC10-B	AISI 304	Fine Tip	Brushed	No		0.3	0.4	1.5	100mm/3.93"
TW-316-OC10-S	AISI 316	Fine Tip	Satin	No		0.3	0.4	1.5	100mm/3.93"
TW-316-OC10-B	AISI 316	Fine Tip	Brushed	No		0.3	0.4	1.5	100mm/3.93"
TW-T-OC10-S	Titanium	Fine Tip	Satin	No		0.3	0.4	1.5	100mm/3.93"
TW-T-OC10-P	Titanium	Fine Tip	PVD Blue	No		0.3	0.4	1.5	100mm/3.93"



AMRAMED
TECH Pvt. Ltd.


Wholesale Supplier

A to Z Hospital Equipment and
Surgical Products B to C




Certified Register

Oc11 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-S-OC11-B	Stainless Steel	Fine Tip	Brushed	No		0.3	0.4	1.5	110mm/4.33"
TW-S-OC11-M	Stainless Steel	Fine Tip	Mirror	No		0.3	0.4	1.5	110mm/4.33"
TW-304-OC11-S	AISI 304	Fine Tip	Satin	No		0.3	0.4	1.5	110mm/4.33"
TW-304-OC11-B	AISI 304	Fine Tip	Brushed	No		0.3	0.4	1.5	110mm/4.33"
TW-316-OC11-S	AISI 316	Fine Tip	Satin	No		0.3	0.4	1.5	110mm/4.33"
TW-316-OC11-B	AISI 316	Fine Tip	Brushed	No		0.3	0.4	1.5	110mm/4.33"
TW-T-OC11-S	Titanium	Fine Tip	Satin	No		0.3	0.4	1.5	110mm/4.33"
TW-T-O1C1-P	Titanium	Fine Tip	PVD Blue	No		0.3	0.4	1.5	110mm/4.33"

N-0 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-N-0-S	Anti-Magnetic, Anti Acid	Cutting Hairsprings	Smooth	No		0.30	0.30	1.5	120mm/4*3/4"

40 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-40-S	Anti-Magnetic, Anti Acid	Fine	Smooth	Yes		0.30	0.30	1.5	125mm/4*7/8"

45 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-45-6	Anti-Magnetic, Anti Acid	Fine Tip	Smooth	Yes		0.30	0.30	2.5	125mm/4*7/8"

MOOD TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-MOOS-S	Antimagnetic,Anti acid	Serrated	Smooth	Yes		0.30	0.30	2.00	70mm

OANB TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-H-OANB-S	Hardened Stainless Steel	Point	Smooth	No		0.30	0.30	1.50	120mm/4*3/4"

OAN TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-OAN-F	Antimagnetic,Anti acid	Fine Tip	Smooth			0.30	0.30	2.00	120mm/4*3/4"

1 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-S-1-B	Stainless Steel	Fine Tip	Brushed	No		0.3	0.5	1.5	120mm/4*3/4"
TW-S-1-M	Stainless Steel	Fine Tip	Mirror	No		0.3	0.5	1.5	120mm/4*3/4"
TW-304-1-S	AISI 304	Fine Tip	Satin	No		0.3	0.5	1.5	120mm/4*3/4"
TW-304-1-B	AISI 304	Fine Tip	Brushed	No		0.3	0.5	1.5	120mm/4*3/4"
TW-316-1-S	AISI 316	Fine Tip	Satin	No		0.3	0.5	1.5	120mm/4*3/4"
TW-316-1-B	AISI 316	Fine Tip	Brushed	No		0.3	0.5	1.5	120mm/4*3/4"
TW-T-1-S	Titanium	Fine Tip	Satin	No		0.3	0.5	1.5	120mm/4*3/4"
TW-T-1-P	Titanium	Fine Tip	PVD Blue	No		0.3	0.5	1.5	120mm/4*3/4"

N-1 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-N1-F	Antimagnetic,Anti acid	Fine Strong	Smooth	No		0.30	0.30	1.50	120mm/4*3/4"

1B TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-H-1B-S	Hardened Stainless Steel	Serrated	Smooth	On Tip		0.30	0.30	1.50	120mm/4*3/4"

2 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-2-S	Anti-Magnetic,Anti Acid	Fine	Smooth	No		0.30	0.30	1.50	120mm/4*3/4"

N-2 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-N2-S	Anti-Magnetic,Anti Acid	Fine	Smooth	No		0.30	0.30	1.5	120mm/4*3/4"

2R TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-H-2R-S	Hardened Stainless Steel, 304	Square Flat	Smooth	On Tip		0.30	0.30	1.50	120mm/4*3/4"

M2 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-M2-S	Anti-Magnetic, Anti Acid	Fine	Smooth	No		0.30	0.30	1.5	70mm

2A TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-2A-S	Anti-Magnetic, Anti Acid	Cutting Hairsprings	Smooth	No		0.30	1.50	1.5	120mm/4*3/4"

52A TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-52A-S	Anti-Magnetic, Anti Acid		Smooth	No		0.30	0.30	1.5	125mm/4*7/8"

2ABB TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-2ABB-S	Antimagnetic,Anti acid	Flat	Smooth	No		0.30	2.40	1.50	120mm/4*3/4"

2AD TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-2AD-S	Antimagnetic,Anti acid		Smooth	No		0.30	1.50	1.50	120mm/4*3/4"
TW-304-2AD-S	304		Smooth	No		0.30	1.50	1.50	120mm/4*3/4"

2AE TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-H-2AE-S	Hardened Stainless Steel	Square Flat	Smooth	On Tip		0.30	1.50	1.50	120mm/4*3/4"
TW-304-2AE-S	304	Square Flat	Smooth	On Tip		0.30	1.50	1.50	120mm/4*3/4"

2AF TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-2AF-S	Anti-Magnetic,Anti Acid		Smooth	Yes		0.30	0.30	1.5	120mm/4*3/4"

2AL TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-2AL-S	Antimagnetic,Anti acid 304	Fine Strong	Smooth	Yes		0.30	1.50	1.50	140mm/5.50"

2ALB TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-2ALB-S	Antimagnetic,Anti acid 304		Smooth			0.30	0.30	1.50	140mm/5.50"

3 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-3-S	Anti-Magnetic,Anti Acid	Fine	Smooth	No		0.30	0.30	1.5	120mm/4*3/4"

N-3 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-N3-S	Antimagnetic,Anti acid	Fine Strong	Smooth	No		0.30	0.30	2.00	120mm

59 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-59-S	Anti-Magnetic, Anti Acid	Round Edges	Smooth	No		0.30	0.30	1.5	125mm/4*7/8"

31 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-31-S	Antimagnetic, Anti acid	Fine Strong	Smooth	No		0.30	0.30	2.00	120mm/4*3/4"

3B TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-3B-S	Anti-Magnetic, Anti Acid	Serrated	Smooth	Yes		0.30	0.30	1.5	120mm

3C TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-3C-S	Antimagnetic, Anti acid	Fine Strong	Smooth	No		0.30	0.30	1.50	110mm/4.33"

N-3C TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-N3C-S	Anti-Magnetic, Anti Acid		Smooth	No		0.30	0.30	1.5	110mm/4.33"

3CB TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-3CB-S	Antimagnetic, Anti acid, 304		Smooth	No		0.30	0.30	1.50	110mm/4.33"

M3C TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-M3C-S	Anti-Magnetic, Anti Acid	Fine	Smooth	No		0.30	0.30	1.5	70mm

4 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-S-4-B	Stainless Steel	Fine Tip	Brushed	No		0.3	0.3	1.5	110mm/4.33"
TW-S-4-M	Stainless Steel	Fine Tip	Mirror	No		0.3	0.3	1.5	110mm/4.33"
TW-304-4-S	AISI 304	Fine Tip	Satin	No		0.3	0.3	1.5	110mm/4.33"
TW-304-4-B	AISI 304	Fine Tip	Brushed	No		0.3	0.3	1.5	110mm/4.33"
TW-316-4-S	AISI 316	Fine Tip	Satin	No		0.3	0.3	1.5	110mm/4.33"
TW-316-4-B	AISI 316	Fine Tip	Brushed	No		0.3	0.3	1.5	110mm/4.33"
TW-T-4-S	Titanium	Fine Tip	Satin	No		0.3	0.3	1.5	110mm/4.33"
TW-T-4-P	Titanium	Fine Tip	PVD Blue	No		0.3	0.3	1.5	110mm/4.33"

4A TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-S-4A-B	Stainless Steel	Fine Tip	Brushed	No		0.3	0.07	1.5	110mm/4.33"
TW-S-4A-M	Stainless Steel	Fine Tip	Mirror	No		0.3	0.07	1.5	110mm/4.33"
TW-304-4A-S	AISI 304	Fine Tip	Satin	No		0.3	0.07	1.5	110mm/4.33"
TW-304-4A-B	AISI 304	Fine Tip	Brushed	No		0.3	0.07	1.5	110mm/4.33"
TW-316-4A-S	AISI 316	Fine Tip	Satin	No		0.3	0.07	1.5	110mm/4.33"
TW-316-4A-B	AISI 316	Fine Tip	Brushed	No		0.3	0.07	1.5	110mm/4.33"
TW-T-4A-S	Titanium	Fine Tip	Satin	No		0.3	0.07	1.5	110mm/4.33"
TW-T-O-A	Titanium	Fine Tip	PVD Blue	No		0.3	0.07	1.5	110mm/4.33"

4B TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-4B-S	Antimagnetic,Anti acid	Serrated	Smooth	Yes		0.30	0.30	2.00	110mm/4.33"

M4 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-M4-S	Anti-Magnetic,Anti Acid	Cutting Hairsprings	Smooth	No		0.30	0.30	1.5	70mm

N-4 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-N4-S	Anti-Magnetic,Anti Acid	Cutting Hairsprings	Smooth	No		0.30	0.30	1.5	110mm/4.33"

5 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-5-S	Anti-Magnetic,Anti Acid	Fine Tip	Smooth	No		0.30	0.30	1.5	110mm/4.33"

5F TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-S-5F-B	Stainless Steel	Fine Tip	Brushed	No		0.3	0.07	1.5	110mm/4.33"
TW-S-5F-M	Stainless Steel	Fine Tip	Mirror	No		0.3	0.07	1.5	110mm/4.33"
TW-304-5F-S	AISI 304	Fine Tip	Satin	No		0.3	0.07	1.5	110mm/4.33"
TW-304-5F-B	AISI 304	Fine Tip	Brushed	No		0.3	0.07	1.5	110mm/4.33"
TW-316-5F-S	AISI 316	Fine Tip	Satin	No		0.3	0.07	1.5	110mm/4.33"
TW-316-5F-B	AISI 316	Fine Tip	Brushed	No		0.3	0.07	1.5	110mm/4.33"
TW-T-5F-S	Titanium	Fine Tip	Satin	No		0.3	0.07	1.5	110mm/4.33"
TW-T-5F-P	Titanium	Fine Tip	PVD Blue	No		0.3	0.07	1.5	110mm/4.33"

5B TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-5B-S	Anti-Magnetic,Anti Acid	Serrated	Smooth	Yes		0.30	0.30	1.5	110mm/4.33"

5S TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-5S-S	Antimagnetic,Anti acid	Fine Strong	Smooth	No		0.30	0.30	2.00	110mm

N-5 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-N5-S	Antimagnetic,Anti acid	Fine Strong	Smooth	No		0.30	0.30	2.00	110mm/4.33"

M5 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-M5-S	Anti-Magnetic,Anti Acid	Cutting Hairsprings	Smooth	No		0.30	0.30	1.5	70mm

5L TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-5L-S	Antimagnetic,Anti acid	Fine Strong	Smooth	No		0.30	0.30	1.50	140mm/5.50"

5LF TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-5LF-S	Anti-Magnetic,Anti Acid		Smooth			0.30	0.30	1.5	140mm/5.50"

5LB TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-5LB-S	Antimagnetic,Anti acid	Fine Strong	Smooth	No		0.30	0.30	2.00	140mm/5.50"

5A TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-5A-S	Anti-Magnetic,Anti Acid	Fine	Smooth	No		0.30	0.30	1.5	120mm

5AL TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-5AL-S	Anti-Magnetic,Anti Acid	Fine	Smooth	No		0.30	0.30	1.5	140mm

5ALB TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-5ALB-S	Antimagnetic,Anti acid	Fine Strong	Smooth	No		0.30	0.30	150	130mm

5AB TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-5AB-S	Antimagnetic,Anti acid	Fine Strong	Smooth	No		0.30	0.30	150	120mm

N-5A TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-N5A-S	Anti-Magnetic,Anti Acid	Cutting Hairsprings	Smooth	No		0.30	0.30	1.5	120mm

5C TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-5C-S	Anti-Magnetic,Anti Acid	Fine Tip	Smooth	No		0.30	0.30	1.5	120mm

5D TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-5D-S	Antimagnetic,Anti acid	Fine Strong	Smooth	No		0.30	0.30	1.50	130mm/5*1/8"

6 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-6-S	Anti-Magnetic, Anti Acid	Fine	Smooth	No		0.30	0.30	1.5	125mm/4*7/8"

N-6 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-N-6-S	Anti-Magnetic, Anti Acid	Cutting Hairsprings	Smooth	No		0.30	0.30	1.5	120mm

6B TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-6B-S	Antimagnetic, Anti acid	Fine Strong	Smooth	No		0.30	0.30	2.00	130mm/5*1/8"

7 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-7-S	Anti-Magnetic, Anti Acid	Cutting Hairsprings	Smooth	No		0.03	0.07	1.5	120mm/4.70"

7A TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-7A-S	Antimagnetic,Anti acid	Fine Strong	Smooth	No		0.30	0.30	1.50	120mm/4.70"

7B TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-7B-S	Anti-Magnetic,Anti Acid	Serrated	Smooth	Yes		0.30	0.30	1.5	120mm/4.70"

7E TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-7E-S	Anti-Magnetic,Anti Acid		Smooth	No		0.30	0.30	1.5	120mm/4*3/4"

7P TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-7P-S	Antimagnetic,Anti acid	Fine Strong	Smooth	No		0.30	0.30	1.50	105 mm

N-7 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-N7-S	Antimagnetic,Anti acid	Fine Strong	Smooth	No		0.30	0.30	1.50	120mm/4.70"

20 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-20-S	Antimagnetic,Anti acid	Serrated	Smooth	Yes		0.60	0.60	1.50	160mm/6*3/8"

21 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-21-S	Antimagnetic,Anti acid	Serrated	Smooth	On Tip & Handle		1.20	1.20	1.50	160mm/6*3/8"

21L TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-21L-S	Hardened Stainless Steel	Serrated	Smooth	On Tip		1.50	1.50	1.50	200mm

27 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-27-S	Anti-Magnetic, Anti Acid	Fine	Smooth	No		0.30	0.30	1.5	130mm/5*1/8"

A TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-A-S	Anti-Magnetic, Anti Acid	Fine	Smooth	No		0.30	0.30	1.5	130mm

AA TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-AA-S	Anti-Magnetic, Anti Acid	Fine	Smooth	No		0.30	0.30	1.5	125mm/4*7/8"

MAA TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-MAA-S	Anti-Magnetic, Anti Acid	Fine	Smooth	No		0.30	0.30	1.5	75mm

AB TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-AB-S	Antimagnetic,Anti acid	Fine Strong	Smooth	On Tip		0.30	0.30	2.00	130mm/5*1/8"

AC TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-AC-S	Anti-Magnetic,Anti Acid	Cutting Hairsprings	Smooth	No		0.30	0.30	1.5	125mm/4*7/8"

BB TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-BB-S	Anti-Magnetic,Anti Acid	Cutting Hairsprings	Smooth	No		0.30	0.30	1.00	125mm/4*7/8"

GG TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-GG-S	Anti-Magnetic,Anti Acid	Fine	Smooth	No		0.30	0.30	1.5	130mm/5*1/8"

MM TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-MM-S	Anti-Magnetic, Anti Acid	Fine	Smooth	No		0.30	0.30	1.5	130mm/5*1/8"

NN TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-NN-S	Anti-Magnetic, Anti Acid	Fine	Smooth	No		0.30	0.30	1.5	125mm/4*7/8"

OO TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-OO-S	Anti-Magnetic, Anti Acid	Fine	Smooth	No		0.30	0.30	1.5	120mm

P TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-P-S	Antimagnetic, Anti acid	Fine Strong	Smooth	No		0.30	0.30	2.00	130mm/5*1/8"

P5 TYPE TWEEZERS




Reference	Material	Tip Fine	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-P5-S	Anti-Magnetic, Anti Acid		Smooth	No		0.30	0.30	1.5	125mm/4*7/8"

PP TYPE TWEEZERS




Reference	Material	Tip Fine	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-PP-S	Anti-Magnetic, Anti Acid		Smooth	No		0.30	0.30	1.5	125mm/4*7/8"

QQ TYPE TWEEZERS




Reference	Material	Tip Fine Strong	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-QQ-S	Antimagnetic, Anti acid		Smooth	No		0.30	0.30	2.00	130mm/5*1/8"

RR TYPE TWEEZERS




Reference	Material	Tip Fine	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-RR-S	Anti-Magnetic, Anti Acid		Smooth	No		0.30	0.30	1.5	140mm/5.50"

SS TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-SS-S	Antimagnetic,Anti acid	Fine Strong	Smooth	No		0.30	0.30	1.50	140mm

60 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-60-S	Anti-Magnetic,Anti-Acid	Fine	Smooth	No		0.30	0.30	1.5	125mm/4*7/8"

SSF TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-SSF-S	Anti-Magnetic,Anti Acid	Cutting,Hairsprings	Smooth	No		0.03	0.03	1.5	130mm/5*1/8"

65A TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-65A-S	Anti-Magnetic,Anti Acid		Smooth	No		0.30	0.30	1.5	130mm/5*1/8"

66 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-66-S	Anti-Magnetic, Anti Acid		Smooth	No		0.30	0.30	1.5	130mm/5*1/8"

614 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-614-S	Anti-Magnetic, Anti Acid	Serrated	Smooth	Yes		0.30	0.30	1.5	140mm

615 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-615-S	Anti-Magnetic, Anti Acid	Serrated	Smooth	Yes		0.30	0.30	1.5	140mm

616 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-616-S	Antimagnetic, Anti acid	Serrated	Smooth	Yes		0.30	0.30	2.00	140mm

53C TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-53C-S	Antimagnetic,Anti acid	Fine Strong	Smooth	No		0.30	0.30	2.00	130mm/5*1/8"

15A TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-S420-15A-S	Stainless Steel, 420	Cutting	Smooth	No		0.30	10.00	2.00	120mm/4.70"

15AC TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-HSC-15AC-S	Hardened Stainless Steel, Carbon Steel	Cutting Hairsprings	Smooth	No		0.30	10.00	2.00	120mm

15AP TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-15AP-S	Antimagnetic,Anti acid	Thick,Hard	Smooth	No		0.30	10.00	2.00	120mm

15ASW TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-15ASW-S	Antimagnetic,Anti acid	Round Cutting Edge	Smooth	No		0.30	0.30	7.00	120mm"

160 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-160-S	Hardened Stainless Steel	Square Flat	Smooth	No		0.30	7.00	1.50	145mm/5*3/4"

165 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-165-S	Anti-Magnetic,Anti Acid	Cutting-Hairsprings	Smooth	No		0.30	0.30	1.50	125mm/4*7/8"

24L TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-24L-S	Antimagnetic,Anti acid	Seration	Smooth	On Tip & Handle		2.40	2.40	2.00	160mm/6*3/8"

26NI TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-H-26NI-S	Hardened Stainless Steel	Round Flat	Smooth	On Handle		0.30	6.00	1.50	145mm/5*3/4"

27NI TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-27NI-S	Antimagnetic,Anti acid	Flat tip	Smooth	Yes		0.30	7.00	1.50	120mm/4.70"

28NI TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-28NI-S	Antimagnetic,Anti acid		Smooth	On Handle		0.30	0.30	2.00	120mm

28S TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-H-28S-S	Hardened Stainless Steel	Square Flat	Smooth	No		0.30	0.30	2.00	145mm/5*3/4"

33A TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-33A-S	Anti-Magnetic, Anti Acid		Smooth	Yes		0.50	6.00	1.5	120mm/4*3/4"

34A TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-34A-S	Antimagnetic, Anti acid	Fine Strong	Smooth	No		0.50	6.00	2.00	120mm/4*3/4"

34B TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-34B-S	Antimagnetic, Anti acid		Smooth	Yes		0.50	6.00	1.50	120mm/4*3/4"

35A TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-35A-S	Hardened Stainless Steel	Square Flat	Smooth	Yes		0.50	7.00	1.50	120mm/4*3/4"

361 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-361-S	Anti-Magnetic, Anti Acid		Smooth	No		0.30	0.30	1.5	125mm/4*7/8"

775 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-775-S	Anti-Magnetic, Anti Acid	Fine	Smooth	No		0.30	0.30	1.5	125mm/4*7/8"

D TYPE TWEEZERS



Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-D-S	Antimagnetic, Anti acid	Fine Strong	Smooth	On Tip		0.30	0.30	2.00	130mm/5*1/8"


D-NP TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-DNP-S	Anti-Magnetic, Anti Acid	Cutting Hairsprings	Smooth	No		0.30	12.00	2.00	110mm

H TYPE TWEEZERS




Thickness 	Tip Profile 
Width 	Edges  Flat

Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-H-S	Anti-Magnetic, Anti Acid		Smooth	No		0.30	0.30	1.5	85mm




P4 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-P-P4-S	Plastic	Cutting Hairsprings	Smooth	No		0.30	0.30	1.5	120mm

LL TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-LL-F	Antimagnetic,Anti acid	Fine Strong	Smooth	No		0.30	0.30	2.00	130mm/5*1/8"

M4C TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-M4C-S	Antimagnetic,Anti acid	Fine Strong	Smooth	No		0.30	0.30	2.00	70mm

MAC TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-MAC-F	Antimagnetic,Anti acid	Fine Strong	Smooth	No		0.30	0.30	2.00	70mm

MHD TYPE TWEEZERS



Reference	Material	Tip Fine	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-MHD-S	Anti-Magnetic, Anti Acid		Smooth	Yes		0.30	0.30	1.5	65mm


SP TYPE TWEEZERS



Reference	Material	Tip Cutting Hairsprings	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-SP-S	Anti-Magnetic, Anti Acid		Smooth	No		0.30	0.30	1.5	125mm/4*7/8"

TWEEZER HANDLE 1




Thickness 	Tip Profile 
Width 	Edges  Flat

Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-TH1-S	Anti-Magnetic, Anti Acid	Flat	Smooth	Yes		1.50	5.00	1.5	105mm


TWEEZER HANDLE 2



Thickness 	Tip Profile 
Width 	Edges  Flat

Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-TH2-S	Anti-Magnetic, Anti Acid	Flat	Smooth	No		1.50	6.00	1.50	105mm

TWEEZER HANDLE 3





Thickness 	Tip Profile 
Width 	Edges  Flat

Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-TH3-S	Anti-Magnetic, Anti Acid	Flat	Smooth	Yes		1.50	5.00	1.5	105mm

TWEEZER HANDLE 4




Thickness 	Tip Profile 
Width 	Edges  Flat

Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-TH4-S	Anti-Magnetic, Anti Acid	Flat	Smooth & Golden	No		1.50	5.00	1.5	105mm


ESD TWEEZERS

P-001 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-P-P1-S	Plastic		Smooth	No		0.80	2.50	2.50	125mm

P-002 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-P-P2-S			Smooth	No		0.30	0.50	2.00	120mm

P-003 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-P-P3-S	Plastic	Flat	Smooth	No		1.00	9.00	3.00	125mm/4*7/8"

P-004 TYPE TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-P-P3-S	Plastic	Flat	Smooth	No		1.00	2.00	2.50	120mm

ESD-10 TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-10-S	Anti-Magnetic, Anti Acid	Fine	Smooth	No		0.03	0.03	1.50	100mm

ESD-11 TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-11-S	Anti-Magnetic, Anti Acid	Fine	Smooth	No		0.03	0.03	1.50	140mm

ESD-12 TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-12-S	Anti-Magnetic, Anti Acid	Fine	Smooth	No		0.03	0.03	1.50	110mm

ESD-13 TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-13-S	Anti-Magnetic, Anti Acid	Fine	Smooth	No		0.03	1.00	1.50	110mm

ESD-14 TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-14-S	Anti-Magnetic, Anti Acid	Fine	Smooth	No		0.03	0.07	1.50	120mm

ESD-15 TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-15-S	Anti-Magnetic, Anti Acid	Cutting Hairsprings	Smooth	No		0.03	0.07	1.5	120mm

ESD-16 TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-16-S	Anti-Magnetic, Anti Acid	Fine	Smooth	No		0.03	0.07	1.5	128mm

ESD-17 TWEEZERS




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-17-S	Anti-Magnetic, Anti Acid	Fine	Smooth	No		0.03	0.07	1.5	120mm

ESD-18 TWEEZERS




Reference	Material	Tip Fine	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-18-S	Anti-Magnetic, Anti Acid		Smooth	No		0.03	0.07	1.5	120mm

ESD-34A TWEEZERS




Reference	Material	Tip Flat	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-34A-S	Antimagnetic, Anti acid		Smooth	No		0.50	6.00	2.00	120mm/4*3/4"

FIBER TWEEZERS-1




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-FT-A-1	Anti-Magnetic, Anti Acid	Straight	Smooth	On Tip		0.03	0.07	1.50	165mm

FIBER TWEEZERS-2




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-FT-A-2	Antimagnetic, Anti acid	Flat	Smooth	On Tip		0.30	0.07	1.50	165mm

FIBER TWEEZERS-3




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-FT-A-3	Antimagnetic, Anti acid	Angular 30 Degree	Smooth	On Tip		0.30	0.07	1.50	165mm

FIBER TWEEZERS-4




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-FT-A-4	Antimagnetic, Anti acid	Angular 45 Degree	Smooth	On Tip		0.30	0.07	1.50	165mm


FIBER TWEEZERS-5



Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-FT-A-5	Antimagnetic,Anti acid	Angular 90 Degree	Smooth	On Tip		0.30	0.07	1.50	165mm




WAFER TWEEZERS-1




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	D mm	E mm	F mm	Length
TW-A-WF-1	Antimagnetic,Anti acid	Angular	Smooth	On Handle		6.00	4.00	3.00	2.80	1.50	1.50	130mm

WAFER TWEEZERS-2




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	D mm	E mm	F mm	Length
TW-A-WF-2	Antimagnetic,Anti acid	Angular	Smooth	On Handle		2.50	5.00	3.50	2.80	1.50	1.50	130mm

WAFER TWEEZERS-3




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	D mm	E mm	F mm	Length
TW-A-WF-3	Antimagnetic,Anti acid	Angular	Smooth	On Handle		2.50	6.00	4.00	2.80	1.50	1.50	130mm

WAFER TWEEZERS-4





Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	D mm	E mm	F mm	Length
TW-A-WF-4	Antimagnetic,Anti acid	Angular	Smooth	On Handle		2.50	4.00	3.00	2.60	2.00	1.50	130mm

WAFER TWEEZERS-5




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	D mm	E mm	F mm	Length
TW-A-WF-5	Antimagnetic,Anti acid	Angular	Smooth	On Handle		2.50	4.00	3.00	2.60	2.00	1.50	130mm

WAFER TWEEZERS-6




Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-WF-6	Antimagnetic,Anti acid	Flat	Smooth	On Handle		0.30	5.00	1.50	130mm

WAFER TWEEZERS-7



Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-WF-7	Antimagnetic,Anti acid	Angular	Smooth	On Handle		0.30	0.07	1.50	165mm

WAFER TWEEZERS-8



Reference	Material	Tip	Finish	Serrations	Spring Tension	A mm	B mm	C mm	Length
TW-A-WF-8	Antimagnetic,Anti acid	Round	Smooth	On Handle		0.30	3.00	1.50	165mm



AMRAMED[®]
TECH Pvt. Ltd.

Wholesale Supplier

A to Z Hospital Equipment and
Surgical Products B to C



Certified Register

SMD TWEEZERS

SMD-101 120 mm		
SMD-102 120 mm		
SMD-103 120 mm		
SMD104-SA 120 mm		
SMD-105 120 mm		



AMRAMED[®]
TECH Pvt. Ltd.



Wholesale Supplier

A to Z Hospital Equipment and
Surgical Products B to C



Certified Register

SMD TWEEZERS

SMD-106 120 mm		
SMD-107 120mm		
SMD-108 120mm		
SMD-109 120mm		
SMD-110 120 mm		



AMRAMED
TECH Pvt. Ltd.

Wholesale Supplier


A to Z Hospital Equipment and
Surgical Products B to C




Certified Register

SMD TWEEZERS


SMD-111
120 mm



SMD-112
120mm



SMD-113
120mm



SMD-114
120mm

